


# Leaf Wetness Sensor

Quick Start Guide

**INCYT**

## Product Overview



- 1 Leaf wetness sensor
- 2 Mounting cable ties X 6

## Start Here

- 1 Open the INCYT App and register the sensor. When instructed, scan the QR code on the box.
- 2 Add the appropriate Application within the INCYT App, and link the sensor.

INCYT

## Preparation


- 3 Unpack the contents of the box.
- 4 This leaf wetness sensor requires a Blue Node to function, available for purchase from [incyt.com.au](http://incyt.com.au). Follow the instructions provided with the Blue Node to complete setup and activation.
- 5 Ensure all components are functioning correctly before proceeding to field installation.



Clean the sensor occasionally to maintain accurate readings

## Installation and Mounting

- 6 Choose an install location that is a similar height to the canopy the sensor is emulating.
- 7 Attach the sensor to a branch or post at a similar angle to the surrounding leaves it is emulating using the supplied cable ties.
- 8 Ensure the sensor is free from dirt and obstructions, and is protected from animals.
- 9 Install the Blue Node on a nearby post according to its Quick Start Guide, and follow the instructions to plug the connector on the leaf wetness sensor into the Blue Node.
- 10 ***The distance from the sensor to the Blue Node should not exceed the length of the leaf wetness sensor cable.***
- 11 If possible, ensure that data is correctly reporting before leaving the site.



Protect cables from animals by purchasing sheathing from your local hardware store

**INCYT**

For help visit INCYT  
**[incyt.com.au](http://incyt.com.au)**