

# Water pH Sensor

Quick Start Guide



## **Product Overview**



1 pH Sensor

- 2 Connector
- 3 P-clips X 4 and mounting hardware

#### **Start Here**

- Open the INCYT App and register the sensor. When instructed, scan the QR code on the box.
- 2 Add the appropriate Application within the INCYT App, and link the sensor.



3


### Preparation


- 3 Unpack the contents of the box.
- This pH sensor requires a Blue Node to function, available for purchase from incyt.com.au.
  Follow the instructions provided with the Blue Node to complete setup and activation.

## **Installation and Mounting**

Choose a location near the water source to be monitored. Install the Blue Node according to its 'Quick Start Guide', and follow the instructions to plug the connector on the pH sensor into the Blue Node.

- 6 Remove the protective cap on the sensor before installation. Do not touch the end.
- For closed tanks, lower the sensor into the water and secure in position using the supplied P-clips as pictured on the right. Ensure the sensor is located more than 15cm away from the walls and base of the tank.
- 8 For open bodies of water, purchasing the optional mounting bracket is recommended, available from **incyt.io**. Install using the diagram on the right as a guide, ensuring the sensor is located more than 15cm away from the ground, and is free from any obstructions such as rocks or debris.





9 If possible, ensure that data is correctly reporting before leaving the site.

Protect cables from animals by purchasing sheathing from your local hardware store



For help visit INCYT incyt.com.au